

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	4	(packet or message) with number with (bits or byte) with appliance \$3	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 17:45
L2	94	(packet or message) with (unit or bit or byte) with (identif\$3 or determin\$3 or decid\$3) with language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 18:38
L3	11	(packet or message) near2 (unit or bit or byte) near2 (identif\$3 or determin\$3 or decid\$3) with language	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 18:38
L4	16	2 and "709"/\$.cls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 18:47
L5	1039	(packet or message) near2 (unit or bit or byte or code) near2 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:42
L6	1	(packet or message) near1 (unit or bit or byte or code) near1 (User adj terminal)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:42
L7	85	(packet or message) near1 (unit or bit or byte or code) near1 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:43

L8	78	(packet or message) near1 (ID or identification) near1 terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:44
L9	9	8 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:45
L10	1288	(packet or message) near1 (ID or identification) near1 (send\$3 or transmit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:47
L11	209	10 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:48
L12	1288	(packet or message) near1 (ID or identification) near (send\$3 or transmit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:48
L13	1288	(packet or message) near (ID or identification) near (send\$3 or transmit\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:48
L14	22	11 and appliance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 19:49
L15	1050732	709/200, "203", "208", "224".ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 20:18

L16	2003	(message or packet) with (device or appliance or destination) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 20:19
L17	670	L16 and 15	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 20:19
S1	2	10/289423.app.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 18:49
S2	2	"5327426".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 18:49
S6	1	10/558433	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/08 18:52
S7	21	( master or manage\$4 or controller) same (slave\$1 or controlled) same applan\$2 same server same message \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:42
S8	1	( master or manage\$4 or controller) same (slave\$1 or controlled) same applan\$2 same server same (message \$1 near2 (structure or body or component))	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:46
S9	33	( master or manage\$4 or controller) same (slave\$1 or controlled) same applan\$2 same server same (message \$1 or packet\$1)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 11:53

S10	3	(message\$1 or packet \$1) with (product near (identification or ID)) with parameter with message	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 12:08
S11	24	(message\$1 or packet \$1) with (product near (identification or ID)) and appliance	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 12:11
S12	3	09/941874	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:12
S13	17	( master or controller) same (slave\$1 or controlled) same appliance\$1 same server same message \$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:42
S14	61	(user or caller) same (master or controller) same (slave\$1 or controlled) same appliance\$1 same server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:43
S15	50	(user or caller) same (master or controller) same (slave\$1 or controlled) same appliance\$1 same server same network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:44
S16	6	("20020035404"   "20020103898"   "5279458"   "5400246"   "6405103"   "6618764").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2008/04/09 16:51
S17	0	S16 and server and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:52
S18	3	S16 and server and network	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:52

S19	3	S16 and (server with network)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:55
S20	1	S16 and (server with controller)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/09 16:55
S21	2	09/774999	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 13:23
S22	2003	(message or packet) with (device or appliance or destination) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:09
S23	429	S22 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:09
S24	2003	(message or packet) with (device or appliance ) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:10
S25	34	(message or packet) with ( appliance ) with (ID or identification) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:10
S26	5	S25 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:11

S27	0	(message or packet) with ( source) with (destintation) with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:39
S28	0	(message or packet) with source with destintation with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:40
S29	0	(message or packet) same source same destintation same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:41
S30	11814	(message or packet) with source with destination with address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:42
S31	3068	S30 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43
S32	41	(message or packet) with source with destination with address with region	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43
S33	72113	2and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43
S34	12	S32 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:43

S35	1	10/882311	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 14:52
S36	19017	(message or packet) same source same destination same address	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 15:30
S37	4740	S36 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 15:30
S38	2	09/774999	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/10 16:25
S39	3525	(user or person) same (overflow or overload \$3 or large) same (prevent\$3 or stop\$3) same (download\$3 transmi\$5)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:23
S40	1	10/853099	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:24
S41	37	(user or person) same (overflow or overload \$3 or large) same (prevent\$3 or stop\$3) same (download\$3 transmi\$5) same level same (file or sore or database)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:25
S42	7	S41 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:26

S43	2	"7,062,531".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 10:36
S44	2	09/774999	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:06
S45	1579	home near2 code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:28
S46	721	home near code	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:28
S47	81	S46 same appliance\$1	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:29
S48	19	S47 and packet	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:29
S49	6	S48 and (manager or controleer or master) and ( controlled or slave or appliance) and server	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 11:30
S50	0	09/774999 and log	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 12:28

S51	1	10/882311	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2008/04/11 14:18
-----	---	-----------	---	----	-----	---------------------

4/11/2008 8:20:35 PM

C:\Documents and Settings\melzoobi\My Documents\EAST\Workspaces\home network  
system.wsp